

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	696	73/866.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 12:40
L2	696	73/866.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 12:40

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	686	73/866.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 03:41
S2	258	S1 and (indication or indicator or pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:25
S3	128	S2 and (control or controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:26
S4	78	S3 and (compensate or compensation or adjust or adjustment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 22:47
S5	1	S4 and (stepping near4 motor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:33
S6	0	S4 and rewritable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:25
S7	3	S4 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:25
S8	674145	(indication or indicator or pointer)and (control or controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 20:47

S9	249504	S8 and (compensate or compensation or adjust or adjustment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 21:04
S10	87800	S9 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 21:05
S11	1203	S10 and rewritable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 21:19
S12	49	S11 and (stepping near4 motor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 21:24
S13	2342	S9 and (deviation near4 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 22:53
S14	1543	S13 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 03:57
S15	19	S14 and rewritable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 03:58
S16	1	S15 and (stepping near4 motor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 03:57

S17	880144	(indication or indicator or pointer or meter) and (control or controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 20:47
S18	322833	S17 and (compensate or compensation or adjust or adjustment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:50
S20	99418	S18 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 21:30
S22	1704	S20 and (deviation near4 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 21:07
S23	1704	S22 and (control or controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 21:19
S24	21	S23 and rewritable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 21:43
S25	89	S23 and (stepping near4 motor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 21:42
S26	260447	S17 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 21:30

S27	3888	S26 and (stepping near4 motor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 21:42
S28	81	S27 and rewritable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 22:35
S29	6961	(scale or plate or pointer or needle or indicator) and (stepping near4 motor) and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:26
S30	4197	S29 and (compensate or compensation or adjust or adjustment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 22:47
S31	73	S30 and rewritable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 23:47
S32	1	S31 and (deviation near4 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:15
S33	73	S31 and (control or controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 23:55
S34	119	S29 and rewritable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:15

S35	118	S34 and (control or controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:15
S36	428624	(scale or plate or pointer or needle or indicator or meter) and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 23:54
S37	342976	S36 and (control or controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 23:55
S38	4832	S37 and rewritable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 15:53
S39	62	S38 and (deviation near4 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:03
S40	1851	(scale or plate) and (pointer or needle or indicator) and (stepping near4 motor) and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:35
S41	1827	S40 and (control or controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:36
S42	49	S41 and rewritable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:36

S43	1	S42 and (deviation near4 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:36
S44	201	S41 and (rewritable or replaceable or overwrite or overwritten)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:49
S45	5	S44 and (deviation near4 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:53
S46	77608	(scale or plate) and (pointer or needle or indicator or meter) and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:35
S47	71134	S46 and (control or controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:49
S48	1004	S47 and rewritable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:38
S49	8	S48 and (deviation near4 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:38
S50	71134	S47 and (memory or ROM or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:37

S51	1004	S50 and rewritable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:49
S52	8	S51 and (deviation near4 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:40
S53	2210	S46 and (stepping near4 motor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 01:04
S54	2179	S53 and (control or controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:49
S55	225	S54 and (rewritable or replaceable or overwrite or overwritten)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:51
S56	880631	(indication or indicator or pointer or meter) and (control or controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:58
S57	260659	S56 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:52
S58	32970	S56 and (rewritable or replaceable or overwrite or overwritten)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:59



S59	22223	S58 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:52
S60	160	S59 and (deviation near4 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 00:59
S61	98191	(indicator or pointer or meter or arrow or guage) and (control or controller) and memory and (scale or plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:41
S62	9373	S61 and (rewritable or replaceable or overwrite or overwritten)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:42
S63	105	S62 and (deviation near4 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 01:05
S64	7053	S61 and ((step or stepping) near4 motor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 01:04
S65	534	S64 and (rewritable or replaceable or overwrite or overwritten)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 01:05
S66	11	S65 and (deviation near4 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 01:05

S67	0	"034218".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:09
S68	2	"03004218".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:24
S69	0	"03004218U1".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:24
S70	0	"03004218U".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:24
S71	2	"03004218".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:24
S72	0	"U03004218".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:24
S73	0	"H03004218".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:24
S74	7551	(stepping near4 motor) and (indication or indicator or pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:35

S75	3490	S74 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:31
S76	80	S75 and rewritable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:31
S77	80	S76 and (control or controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:31
S78	74	(scale or plate or pointer or needle or indicator) and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:31
S79	1	S78 and (deviation near4 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:46
S80	62	S78 and ((first or second) near6 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:27
S81	1	S77 and (deviation near4 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:29
S82	8	S78 and (indication near4 (part or section or module or portion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:31

S83	23287	(scale or plate or pointer or needle or indicator) and (stepping near4 motor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:31
S84	7271	S83 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:36
S85	131	S84 and rewritable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:36
S86	130	S85 and (control or controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:36
S87	8	S86 and (indication near4 (part or section or module or portion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:32
S88	55	S86 and (repair or replace)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:36
S89	9496	(stepping near4 motor) and (indication or indicator or pointer or needle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:42
S90	3988	S89 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:36

S91	86	S90 and rewritable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:36
S92	86	S91 and (control or controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:36
S93	48	S92 and (repair or replace)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:43
S94	0	("2004/0211352").URPN.	USPAT	OR	ON	2005/08/17 20:36
S95	283613	(indicator or pointer or meter or arrow or guage or needle) and (control or controller) and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:48
S96	6019	(stepping near4 motor) and S95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:49
S97	450	S96 and (rewritable or replaceable or overwrite or overwritten)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:55
S98	169	S97 and (repair or replace)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:49
S99	6	S98 and (deviation near4 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:53

S10 0	119536	(indicator or pointer or meter or arrow or guage or needle or cluster or dial) and (control or controller) and memory and (scale or plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:39
S10 1	4137	(stepping near4 motor) and S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:53
S10 2	343	S101 and (rewritable or replaceable or overwrite or overwritten)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:49
S10 3	135	S102 and (repair or replace)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:50
S10 4	6	S103 and (deviation near4 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:56
S10 5	75946	(indicator or pointer or needle or cluster or dial or speedometer) and (control or controller) and memory and (scale or plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:54
S10 6	829	speedometer and (control or controller) and memory and (scale or plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:53
S10 7	67	S106 and (rewritable or replaceable or overwrite or overwritten)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:53

S10 8	10	(stepping near4 motor) and S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:53
S10 9	0	S108 and (deviation near4 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:53
S11 1	96662	(indicator or pointer or needle or cluster or dial or meter or guage or speedometer) and memory and (scale or plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 13:17
S11 2	1310	S111 and (memory near4 (rewritable or replaceable or overwrite or overwritten))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:55
S11 3	16	S112 and (deviation near4 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 20:56
S11 4	60	("3720106"   "4008458"   "4264897"   "4296411"   "4315248"   "4350980"   "4388690"   "4463354"   "4495596"   "4607527"   "4614945"   "4646084"   "4654662"   "4663970"   "4692761"   "4724435"   "4749992"   "4780910"   "4799059"   "4804938"   "4811011"   "4817131"   "4839642"   "4850010"   "4866761"   "4940976"   "4975687"   "5053766"   "5086292"   "5107440"   "5136613"   "5179569"   "5194860"   "5204896"   "5270704"   "5421201"   "5432507"   "5438329"   "5448230"   "5451938"   "5475867"   "5481259"   "5485150"   "5491473"   "5493287"   "5495239"   "5523751"   "5528507"   "5528675"   "5541589"   "5559870"   "5590179"   "5602744"   "5617084"   "5631636"   "5659300"   "5659303"   "5673252"   "5684472"   "6100816").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/17 21:00

S11 5	14	S111 and S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 21:08
S11 6	60	("3720106"   "4008458"   "4264897"   "4296411"   "4315248"   "4350980"   "4388690"   "4463354"   "4495596"   "4607527"   "4614945"   "4646084"   "4654662"   "4663970"   "4692761"   "4724435"   "4749992"   "4780910"   "4799059"   "4804938"   "4811011"   "4817131"   "4839642"   "4850010"   "4866761"   "4940976"   "4975687"   "5053766"   "5086292"   "5107440"   "5136613"   "5179569"   "5194860"   "5204896"   "5270704"   "5421201"   "5432507"   "5438329"   "5448230"   "5451938"   "5475867"   "5481259"   "5485150"   "5491473"   "5493287"   "5495239"   "5523751"   "5528507"   "5528675"   "5541589"   "5559870"   "5590179"   "5602744"   "5617084"   "5631636"   "5659300"   "5659303"   "5673252"   "5684472"   "6100816").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/18 12:08
S11 7	41	S116 and memory and (control or controller or processor or logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 12:08
S11 8	640955	(indicator or pointer or needle or cluster or dial or meter or guage or speedometer) and (scale or plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 13:36



S11 9	60	("3720106"   "4008458"   "4264897"   "4296411"   "4315248"   "4350980"   "4388690"   "4463354"   "4495596"   "4607527"   "4614945"   "4646084"   "4654662"   "4663970"   "4692761"   "4724435"   "4749992"   "4780910"   "4799059"   "4804938"   "4811011"   "4817131"   "4839642"   "4850010"   "4866761"   "4940976"   "4975687"   "5053766"   "5086292"   "5107440"   "5136613"   "5179569"   "5194860"   "5204896"   "5270704"   "5421201"   "5432507"   "5438329"   "5448230"   "5451938"   "5475867"   "5481259"   "5485150"   "5491473"   "5493287"   "5495239"   "5523751"   "5528507"   "5528675"   "5541589"   "5559870"   "5590179"   "5602744"   "5617084"   "5631636"   "5659300"   "5659303"   "5673252"   "5684472"   "6100816").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/18 13:37
S12 0	41	S119 and memory and (control or controller or processor or logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 13:37
S12 1	13	S118 and S120	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:31
S12 2	807	speedometer and deviation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 15:17
S12 3	366	S122 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:36
S12 4	358	S123 and (control or controller or processor or logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:38

S12 5	185	S124 and (scale or plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:37
S12 6	18	S125 and (stepping near4 motor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:37
S12 7	1	("3868570").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/18 14:35
S12 8	4	("5994893").URPN.	USPAT	OR	ON	2005/08/18 14:35
S12 9	3	S128 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:38
S13 0	1	S129 and (scale or plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 15:18
S13 1	2	S129 and (stepping near4 motor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:47
S13 2	0	S131 and (scale or plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:56
S13 3	1	S129 and deviation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:37

S13 4	1	S133 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:38
S13 5	1	S134 and (stepping near4 motor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:38
S13 6	1	S135 and (control or controller or processor or logic or (micro near4 (controller or processor)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:51
S13 7	1	(indicator or pointer or meter or arrow or guage or needle or cluster or dial) and S136	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:56
S13 8	2	("6519999").URPN.	USPAT	OR	ON	2005/08/18 14:45
S13 9	3	S129 and (step\$4 near4 motor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 15:18
S14 0	1	S139 and (compensate or correct)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:51
S14 1	2	S139 and (compensate or correct or correction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 15:20
S14 2	2	S141 and (control or controller or processor or logic or (micro near4 (controller or processor)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:51

S14 3	1	S142 and (scale or plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:56
S14 4	1	(indicator or pointer or meter or arrow or guage or needle or cluster or dial) and S143	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 15:15
S14 5	1	S144 and (ROM or EPROM or EEPROM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 15:51
S14 6	2656	speedometer and (memory or ROM or EPROM or EEPROM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 15:18
S14 7	1167	S146 and (scale or plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 15:18
S14 8	110	S147 and (step\$4 near4 motor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 15:18
S14 9	11	S148 and ((first or second) near4 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 15:19
S15 1	9	S149 and (compensate or correct or correction or deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 15:20

S15 2	15	S126 and (ROM or EPROM or EEPROM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 15:51
S15 3	9	S152 and rewritable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 15:53